


[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

oracle "recovery logs"

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 30 of about 271 for **oracle "recovery logs"**. (0.63 seconds)**DBAsupport.com : Oracle 9i Central : Oracle 10g Availability ...****Oracle 10g Availability Enhancements, Part 2: Flashback Database ... Flash Recovery****Logs. 96. Recommended Size: 1708. Minimum Size: ...**www.dbasupport.com/oracle/ora10g/enhance_flashback01.shtml - 49k - [Cached](#) - [Similar pages](#)**DBAsupport.com : Oracle 9i Central : Listen Software Solutions ...**DBASupport The Knowledge Center for **Oracle** Professionals. Search DBASupport: ...so in the case of **recovery, logs** are applied from backup start time. ...www.dbasupport.com/oracle/ora9i/solutions/backup.shtml - 43k - [Cached](#) - [Similar pages](#)**Help for litespeed edgewood backup recovery - SQL Server, Oracle ...**... This strategy includes remote storage of backup images and **recovery logs**. ... Considerations- (8/18/2004) - The newest release of **Oracle** Enterprise Manager Grid ...www.sswug.org/searchresults.asp?keywordstofind=litespeed%20%20edgewood%20%20backup%20%20recovery - 38k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)**Oracle 10g Availability Enhancements, Part 2: Flashback Database**... Control Files. 6. Control File Autobackups. 6. **Flash Recovery Logs. 96. Recommended****Size: 1708. Minimum Size: 96. ... Note that Oracle recommends setting this value ...**databasejournal.com/features/oracle/article.php/10893_3446681_1 - 52k - [Supplemental Result](#) -[Cached](#) - [Similar pages](#)**Method and mechanism for relational access of recovery logs in a ...**

The following describes column definitions for a recovery log view according to

an embodiment of the invention used to access **recovery logs** in an **Oracle 8i** ...www.freepatentsonline.com/6618822.html - 79k - [Cached](#) - [Similar pages](#)**DBAzone.com: Transaction Logs**As well as being useful for **recovery, logs** are useful for ROLLBACKs – except in**Oracle. Oracle** supports ROLLBACKs with a separate structure called the ...www.dbazine.com/db2/db2-disarticles/gulutzan2 - 71k - [Cached](#) - [Similar pages](#)**DBAzone.com: An Enterprise Database Security Primer**Update auditing — Many database managers use the database **recovery logs** (redo... Donald K. Burleson is one of the world's top **Oracle** Database experts with ...www.dbazine.com/oracle/or-articles/burleson-sec1 - 52k - [Cached](#) - [Similar pages](#)[\[More results from www.dbazine.com \]](#)**www.ORAsearch.com - Dedicated Career Site for Oracle professionals ...**... Created customer database files. · Managed all application **recovery logs**utilizing **Oracle 8i**. · Managed storage parms for tables ...www.orasearch.com/adidocs5/Detail.cfm?detail_id=142361&QUERY_AMOUNT=25 - 27k - [Supplemental Result](#)[- Cached](#) - [Similar pages](#)**HP3000-L archives – August 2000, week 4 (#528)**... Where is **Oracle** itself providing utility because of its own weaknesses? I understandthat **Oracle** offers four **recovery logs**, which I find remarkable. ...raven.utc.edu/cgi-bin/WA.EXE?A2=ind0008d&L=hp3000-l&F=&S=&P=57676 - 8k - [Supplemental Result](#) -

[Cached](#) - [Similar pages](#)

HP3000-L archives -- January 1998, week 2 (#232)

... to be) learning **Oracle** on the 3K (and am impressed with the implementation itself;
I just wish SuprTool for **Oracle** was on ... FOUR copies of **recovery logs** on disc? ...
raven.utc.edu/cgi-bin/WA.EXE?A2=ind9801b& L=hp3000-l&D=0&P=17614 - 9k - Supplemental
Result - [Cached](#) - [Similar pages](#)

Southwest Gas Migrates Legacy Mainframe Data with DataMove and ...

... changes at the IMS buffer level without requiring user exits or IMS **recovery logs**. ...
project took data from the IMS legacy system to an **Oracle** database for a Y2K ...
dmreview.com/article_sub.cfm?articleId=2380 - 35k - Supplemental Result - [Cached](#) - [Similar pages](#)

DBAsupport.com : Oracle 9i Central : Listen Software Solutions' " ...

... Alter System switch logfile * The begin backup command prevents the SCN in the datafile
header from changing, so in the case of **recovery logs** are applied from ...
forums.dbasupport.com/oracle/ora9i/solutions/backup.shtml - 45k - Supplemental Result -
[Cached](#) - [Similar pages](#)

[PDF] Deployment Guide: Oracle on Microsoft Windows and Dell PowerEdge ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
steps required for a successful **Oracle** RAC deployment on Dell hardware and Microsoft
... combination of an RMAN backup to disk and Flash **Recovery logs**. ...
www.dell.com/downloads/global/solutions/Oracle%20on%20Windows%20Deployment.pdf - [Similar pages](#)

Listen Software's How To: Backup and Recovery Strategy

Oracle May 20, 2002 Listen Software's How To: Backup and Recovery Strategy ...
so in the case of **recovery logs** are applied from backup start time. ...
www.databasejournal.com/features/oracle/article.php/1447141 - 45k - [Cached](#) - [Similar pages](#)
[[More results from www.databasejournal.com](#)]

[PDF] Databases Illuminated

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... started Page 44. **Oracle** Recovery ... RMAN can make backups of the database or
parts of it, backups of **recovery logs**, can restore data from ...
cs3.wnmu.edu/Math&CS/mcfarland/CMP5465%20Adv%20DB%20PDF/Ricardo_ch10Slides.pdf - Supplemental
Result - [Similar pages](#)

[PPT] Databases Illuminated

File Format: Microsoft Powerpoint 97 - [View as HTML](#)
Oracle Transaction Management. Multi-version concurrency control mechanism, with
no read locks ... backups of **recovery logs**, can restore data from backups, ...
cs3.wnmu.edu/Math&CS/mcfarland/CMP5465%20Adv%20DB%20PPT/Ricardo_ch10Slides.ppt -
[Similar pages](#)

Oracle Database Security Primer

Update auditing — Many database managers use the database **recovery logs** (redo
logs) as an ... Does your boss blame you for an **Oracle** performance problem? ...
www.dba-oracle.com/art_dbazine_security1.htm - 92k - Jan 29, 2006 - [Cached](#) - [Similar pages](#)

Financial Cryptography: Financial Cryptography <i>v.</i> The ...

For all those big selling solutions like **Oracle**, IBM, SAP etc etc, the answer
is: "Oh, yes, ... I thought **recovery logs** was a feature of DB engines. ...
https://www.financialcryptography.com/mt/archives/000209.html - 23k - [Cached](#) - [Similar pages](#)

Quick start for Q replication to Oracle and Sybase

... reading DB2 **recovery logs** for changed source data, and writing it to WebSphere MQ
 ... Setting up Q replication to **Oracle** or Sybase targets involves the ...
www.ibm.com/developerworks/db2/library/techarticle/dm-0505burner/ - 99k - [Cached](#) - [Similar pages](#)

Recovering data from a failed cache using **recovery logs** of caches ...

... having to merge the **recovery logs** of the various database servers that had access to the resource. Bamford, Roger J.; Klots, Boris **Oracle** Corporation; January ...
www.patentalert.com/docs/000/z00057638.shtml - 8k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

[PDF] **Microsoft Word Viewer 97 - Federated vs. Clustered Database ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 of **Oracle** Real Application Clusters vs. IBM DB2 UDB EEE, available from ...
Recovery logs per instance. Similar instance-specific entities have to be ...
otn.oracle.com/deploy/performance/pdf/FederatedvsClustered.pdf - [Similar pages](#)

DBTA 5 Minute Briefing: Data Center - December 5, 2005

NEON's Shadow RTE Certified for **Oracle** Warehouse Builder 10g ... data capture technology to capture changed data from existing database **recovery logs**. ...
www.dbta.com/datacenter/archives/12-5-05.html - 98k - Jan 29, 2006 - [Cached](#) - [Similar pages](#)

[PDF] **Deployment Guide: Oracle on Microsoft Windows and the Dell ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Oracle RAC deployment. However, this paper focuses on the areas where IT staff needs ... combination of an RMAN backup to disk and Flash **Recovery logs**. ...
www.perftuning.com/pdf/OracleMSWinDell.pdf - [Similar pages](#)

Oracle: confusion about standby database..

Oracle Sybase Btrieve FileMaker DB Reporting GIS & GPS ERP PostgreSQL ... to create a standby database on the the same host with automated **recovery logs**. ...
www.experts-exchange.com/Databases/Oracle/Q_20094388.html - 68k - [Cached](#) - [Similar pages](#)

FreeLists / **oracle-l** / Standby databases and adding datafiles

This is **Oracle** v8174 on OpenVMS v732. We run a standby database in managed mode.
 ... We then restart **recovery**. **Logs** that have already been processed once, ...
www.freelists.org/archives/oracle-l/04-2005/msg00259.html - 7k - [Cached](#) - [Similar pages](#)

FreeLists / **oracle-l** / Re: Standby databases and adding datafiles

HTHU Ankur Shah **Oracle** DBA DHR-GA Quoting daniel.hubler@xxxxxxxxxx: > This is
 ... We then restart **recovery**. **Logs** that have already been processed once, ...
www.freelists.org/archives/oracle-l/04-2005/msg00458.html - 8k - [Cached](#) - [Similar pages](#)

ITtoolbox Blogs

... data. For now **recovery logs**, DataGuard, SQL Scripts, RSync and RoboCopy are being employed to get the data between 2 of our sites. ...
blogs.ittoolbox.com/common/print.asp?i=001204.asp - 11k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

[PDF] **EMEA Storage Roadshow Q1 2003**

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... im Backupmodus schreibt die DB vermehrt **Recovery Logs** DB Server NTFS, UFS, oder andere ... Informix Lotus Domino **Oracle** Microsoft SQL Server Microsoft Exchange ...
iug.de/aktivitaeten/roadshow03/vortraege/volker_mohr.pdf - [Supplemental Result](#) - [Similar pages](#)

Re: Scalable Mail solution with NAS

... like **Oracle** that supports the concept of "hot backups". The table spaces are put into a quiesced state, and all writes are done to memory and to **recovery logs**. ...
www.merit.edu/mail.archives/nanog/2001-01/msg01019.html - 12k - [Supplemental Result](#)

[Cached](#) - [Similar pages](#)

[doc\] U](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

Oracle Relational Database Management System (RDBMS) services on Solaris server(s) provide ... MQSeries uses two types of logs—error logs and **recovery logs**. ...

herbb.hanscom.af.mil/download.asp?rfp=R1012&FileName=dd1k-som.doc - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooogle ►

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	186	"log view" and database	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 14:58
L2	50	"log view" and database and recovery	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:01
L3	115	loaiza.in.	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:01
L4	39	loaiza.in. and recovery	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:02
L5	13	loaiza.in. and recovery and view	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	186	"log view" and database	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 14:58
L2	50	"log view" and database and recovery	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:01
L3	115	loaiza.in.	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:01
L4	39	loaiza.in. and recovery	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:02
L5	13	loaiza.in. and recovery and view	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:11
L6	4912570	"materialized views" and "recovery logs"and view	US-PGPU B; USPAT; EPO; DERWENT	OR	OFF	2006/01/31 15:12

L7	0	"materialized views" and "recovery logs"	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/01/31 15:12
L8	1	"materialized view" and "recovery logs"	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/01/31 15:12